Presentation Trolleys

for Flat panels

The height adjustable trolleys,

allow you to use touch screens in a more flexible way.
Just push a button to change the working height.
Ideal for schools or rooms with varying users.

Audipack®

It's great to have solutions...

Plug & Play height adjustable

trolleys

Height adjustable trolleys, designed for flat panels and touch screens.

Flexible, durable and rigidly constructed these trolleys are an ideal solution for the education market.
Fit any (touch)screen to the trolley and with the optional Audipack audio solutions the total set-up is clean and well finished.

Audipack designs and manufactures in privately owned design studios and factories, so we can customise the system to suit individual customer's needs. We use our own durable materials that are easy to clean and highly scratch resistant.

Optional soundbar

Optional laptop support (P5355)

Optional cover plate (DFS-CP)

▲ **Lockable wheels**
▲ **Easy equipment installation**
▲ **Durable, well designed and slim constructions**
▲ **Safe and secure**

ELECTRIC HEIGHT ADJUSTABLE DOUBLE COLUMN TROLLEY

Ref.	DFS-120E
Dimensions in mm	W 1400 x D 797 x H 1950
Nett weight in Kg	53
Presentation height in mm	700-1580 *(centre screen)*
Mounting interface	VESA 400x200, 400x400, 600x200, 600x400 and L&S5
Power supply	230 VAC 50-60 Hz

Max. " 100

Max. 120

Perfect solution for
Touch screens

Mounting interface: VESA 400x200, 400x400, 600x200, 600x400 and L&S5

Lockable VESA mounting patterns

Electric control panel

## ELECTRIC HEIGHT ADJUSTABLE TROLLEY

Ref.	FSW-T100V6
Dimensions in mm	W 739 x D 650 x H 1175-1835
Presentation height in mm	940-1600 *(centre screen)*
Max. screen size in mm	height 1520
Mounting interface	VESA 200, 300, 400, 600 and L&S 5
Power supply	230 VAC 50-60 Hz

Max. " 80 | Max. 100

Ref.	FSW-T100V8
Dimensions in mm	W 939 x D 650 x H 1175-1835
Presentation height in mm	940-1600 *(centre screen)*
Max. screen size in mm	height 1520
Mounting interface	VESA 200, 300, 400, 600, 800 and L&S 5
Power supply	230 VAC 50-60 Hz

Max. " 80 | Max. 100

ENTRY LEVEL TROLLEY

| Ref.	FSW-T150V6
Dimensions in mm	W 739 x D 650 x H 1175-1835
Presentation height in mm	940-1600 *(centre screen)*
Max. screen size in mm	height 1520
Mounting interface	VESA 200, 300, 400, 600 and L&S 5
Power supply	230 VAC 50-60 Hz

Max. " 80 | Max. 150

Ref.	FSW-T150V8
Dimensions in mm	W 939 x D 650 x H 1175-1835
Presentation height in mm	940-1600 *(centre screen)*
Max. screen size in mm	height 1520
Mounting interface	VESA 200, 300, 400, 600, 800 and L&S 5
Power supply	230 VAC 50-60 Hz

Max. " 80 | Max. 150

ELECTRIC HEIGHT ADJUSTABLE TOUCH TABLE

Max. " 55 | Max. 60

Max. " 65 | Max. 100

Ref.	FSW-Touch4055	FSW-Touch4055R	FSW-Touch6065
Dimensions in mm	W 949 x D 768 x H 760-1435	W 949 x D 768 x H 760-1435	W 1106 x D 768 x H 968-1643
Nett stroke in mm	675	675	675
Presentation height in mm	1418	1418	1418
Max. mounting range in mm	W 670 x H 446	W 670 x H 446	W 810 x H 671
Angle adjustment in degrees	-5 - 95	-5 - 95 *Electric*	-5 - 95
Power supply	230 VAC 50-60 Hz	230 VAC 50-60 Hz	230 VAC 50-60 Hz

ACCESSORIES

BLUETOOTH® ADAPTER

NEW

Compatible with
iOs and Android

Ref.	460335
Description	Bluetooth adapter to control lift with tablet or smartphone
Suitable for	FSW-T100V6, FSW-T100V8, FSW-T150V6, FSW-T150V8, FSW-Touch4055, FSW-Touch4055R, FSW-Touch6065

PRESENTATION TROLLEYS FOR FLAT PANELS

MOUNTING BRACKETS FOR FLAT PANELS (SEE PAGE 47 FOR THE FULL PROGRAM)

Mount any brand and type of flat panel on any Audipack system with the Audipack mounting brackets.

| UFPRO series | Brand related mounts | VESA mounts |

AUDIO SOLUTIONS

For every flat panel a made to measure soundbar is available. See chapter "Audio solutions" page 3 or more information

MOUNTING CAMS FOR DIRECT VESA MOUNTING — FOR RECESSED MOUNTING HOLES

| Ref. | 392618 M6x13 | 392318 M8x13 | 390618 M10x13 | 392621 M6x35 | 392620 M8x35 |

LAPTOP SUPPORT (SUITABLE FOR DFS-120E)

Max. 10

| Ref. | P5355 |
| Max. equipment dimensions in mm | W 450 x D 365 |

COVER PLATE (SUITABLE FOR DFS-120E)

"Soft edge finishing" ergonomic protection

| Ref. | DFS-CP |

PC CABINET (SUITABLE FOR FSW-T100 AND FSW-TOUCH)

| Ref. | EC-7 |
| Max. equipment dimensions in mm | W 180 x D 514 x H 390 |

PEN TRAY (SUITABLE FOR FSW-T100)

| Ref. | FSW-PT1 |