


Wall mounted lift systems

for touch screens

The electric height adjustable wall lift systems,

allow you to use touch screen monitors in a more flexible way. Just push a button to change the user height. Ideal for schools or rooms with multiple users. The wall systems are easy to install and there are floor and ceiling options.



Audipack®

It's great to have solutions...

Plug & Play height adjustable wall lift systems

Height adjustable wall lift systems for touch screens

These wall lift systems are perfect for the education market, being flexible, durable and rigidly constructed.

Lift your large flat panel or touch screen in any position with just the touch of a button.

These lift systems offers a very short installation time! The lift systems are provided with an universal mounting systems to mount any brand and type of screen up to 160 Kg.

Audipack designs and manufactures in privately owned design studios and factories, so we can customise the system to suit individual customer's needs. We use our own durable materials that are easy to clean and highly scratch resistant.

Use the **Screen-Crawler** (SC-190/SC-200) Installation Aid for safe installation of large, heavy screens. (See page 56)



1 hour installation!

- ▲ **Short installation time**
- ▲ **Easy equipment installation**
- ▲ **Durable, well designed and slim constructions**
- ▲ **Safe and secure**



DWS-120E, DWS-160E



Mounting interface: VESA 400 x 200, 400 x 400, 600 x 200, 600 x 400 and L&S5

All products



Locked when mounted with an Audipack mounting bracket

DWS-120E, DWS-160E



Lockable VESA mounting patterns

WALL MOUNTED LIFT SYSTEM



Ref.	DWS-T100E
Height adjustable in mm	650
Wall offset in mm	100
Mounting interface	VESA 400 x 200, 400 x 400, and L&S5
Connectivity	Hand control included, contact relay Optional wall switch, RF remote or bluetooth receiver
Power	230 VAC 50-60Hz/24 VDC
Optional	soundbar, use LSS-DWS-T for mounting.



ELECTRIC HEIGHT ADJUSTABLE WALL LIFT SYSTEMS



Ref.	DWS-120E
Dimensions in mm	W1010 x H2300 x D125
Presentation height in mm	700-1580 (centre screen)
Mounting interface	VESA 400 x 200, 400 x 400, 600 x 200, 600 x 400 and L&S5
Connectivity	RF remote included
Power	230 VAC 50-60Hz



Ref.	DWS-160E
Dimensions in mm	W1010 x H2300 x D125
Presentation height in mm	700-1580 (centre screen)
Mounting interface	VESA 400 x 200, 400 x 400, 600 x 200, 600 x 400 and L&S5
Connectivity	Contact relay Optional wall switch & IR/RF remote
Power	230 VAC 50-60Hz



ACCESSORIES

MOUNTING BRACKETS FOR FLAT PANELS (SEE PAGE 47 FOR THE FULL PROGRAM)



WALL MOUNTED LIFT SYSTEMS

MOUNTING CAMS FOR DIRECT VESA MOUNTING

RECESSED MOUNTING HOLES



Ref.	392618 M6 x 13	392318 M8 x 13	390618 M10 x 13	392621 M6 x 35	392620 M8 x 35
------	--------------------------	--------------------------	---------------------------	--------------------------	--------------------------

FLOOR TO CEILING MOUNTING SET

LINE FILTER



Ref.	DWS-FCK Columns are custom made, to match required height			Ref. P6247 For 230 Volt distortions
------	---	--	--	---

REMOTE CONTROLS



Ref. Suitable for	460286 (RF) DWS-T100 and DWS-T150	261318 DWS-T100 and DWS-160E	260214 (IR) DWS-160E	260215 (RF) DWS-160E
----------------------	---	--	--------------------------------	--------------------------------

BLUETOOTH® ADAPTER

Compatible with iOS and Android



Ref. Description Suitable for	460335 Bluetooth adapter to control lift with tablet or smartphone DWS-T100
-------------------------------------	--

VESA EXTENSION SET TO 600x400



Ref. Mounting range Suitable for	DWS-MEV6 Vesa 600x400 DWS-T100
--	---

WALL MOUNT EXTENSION SET

Suitable for DWS-120E and DWS-160E



Ref. Adjustable range in mm	DWS-WME 65-100
--------------------------------	--------------------------

AUDIO SOLUTIONS



For every flat panel a made to measure soundbar is available. See chapter "Audio solutions" page 3 for more information